

3763



AMENDMENT TRANSMITTAL LETTER			Docket No. KKH-0013
Application No. 10/030,711	Filing Date January 14, 2002	Examiner K. Thompson	Art Unit 3763

Applicant(s): Kazumi IJIMA

Invention: PLUNGER FOR SYRINGE

TO THE COMMISSIONER FOR PATENTS

RECEIVED
JUN 03 2003

Transmitted herewith is an amendment in the above-identified application.
The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	5	- 20 =		x	0.00
Independent Claims	2	- 3 =		x	0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify):					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					0.00

TECHNOLOGY CENTER R3700

- ☒ Large Entity ☐ Small Entity
- ☒ No additional fee is required for this amendment.
- ☐ Please charge Deposit Account No. _____ in the amount of \$ _____.
A duplicate copy of this sheet is enclosed.
- ☐ A check in the amount of \$ _____ to cover the filing fee is enclosed.
- ☐ Payment by credit card. Form PTO-2038 is attached.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 18-0013 as described below. A duplicate copy of this sheet is enclosed.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.

Carl Schaukowitch
Attorney Reg. No.: 29,211

Dated: May 27, 2003

RADER, FISHMAN & GRAUER PLLC
1233 20th Street, N.W., Suite 501
Washington, DC 20036
(202) 955-3750
Customer No. 23353



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#12/86
6-5-03

In re the Application of:

Kazumi IJIMA et al.

Application No.: 10/030,711

Filed: April 22, 2002

For: PLUNGER FOR SYRINGE

Attorney Docket No.: KKH-0013

Examiner: K. Thompson

Art Unit: 3763

Confirmation No.: 8628

LETTER TO THE OFFICIAL DRAFTSPERSON

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

RECEIVED

JUN 03 2003

TECHNOLOGY CENTER R3700


Sir:

Applicant files herewith one (1) sheet of formal drawings including FIG. 1. It is respectfully requested that the formal drawing be entered in the application file.

Respectfully submitted,

Date: May 27, 2003

By:



Carl Schaukowitch
Reg. No. 29,211

RADER, FISHMAN & GRAUER PLLC

1233 20th Street, N.W. Suite 501

Washington, D.C. 20036

Tel: (202) 955-3750

Fax: (202) 955-3751

Customer No. 23353

Enclosure(s): One sheet of formal drawing (FIG. 1)

DC122296



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Kazumi IJIMA et al.

Application No.: 10/030,711

Filed: April 22, 2002

For: PLUNGER FOR SYRINGE

Attorney Docket No.: KKH-0013

Examiner: K. Thompson

Art Unit: 3763

Confirmation No.: 8628

REQUEST FOR APPROVAL OF DRAWING CORRECTIONS

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

RECEIVED
JUN 03 2003

Sir:

TECHNOLOGY CENTER R3700


Attached please find a copy of the original drawings with red ink markings, showing the proposed changes to the drawings in this application. In accordance with U.S. Patent and Trademark Office practice, proposed drawing corrections to amend the drawings in the above-identified application are as follows:

Approval of the corrections to Figure 1 is respectfully requested. No new matter was added.

Respectfully submitted,

Dated: May 27, 2003

By:


Carl Schenkowitch
Reg. No. 29,211

RADER, FISHMAN & GRAUER PLLC
1233 20th Street, N.W. Suite 501
Washington, D.C. 20036
Tel: (202) 955-3750
Fax: (202) 955-3751
Customer No. 23353

Enclosure(s): One sheet of red-line corrected drawing (FIG. 1)